





Product Name acoupanel® (AP35 Dual layers 12+23)
 Product Category Wall and ceiling
 Material 100% Polyester fibers
 with > 60% recycled content
 Weight 4,700 gram/sq.m +/-
 Density 135 kgs/Cubic.m +/-
 Thickness 35 mm +/-10%
 Size 1,220 x 2,800 mm



Performance
 Sound Transmission Class STC 5, ISO 717 Part 1
 Sound Absorption NRC 0.85 with no air gap, ISO 354

Sound Absorption Coefficients(α_s)

(Hz)	125	250	500	1000	2000	4000
Frequency f	0.36	0.53	0.93	1.02	0.98	0.91

Color Fastness to > 6, ISO 105 B02-1994
 Light Indoor Air Low VOCs emission, formaldehyde
 Quality and Phenol-free
 Moisture Content < 0.15% by weight



Available Solid colors



Piano Black
12PB



Flint *
12FL



Charcoal
12CH



Slate Grey
12SL



Grey
12GR



Metal
12ME



Turmeric *
12TU




Butter
12BU




Popcorn
12PO



Wheat *
12WE




White
12WH




Platinum
12PL



Ivory
12IV



Pearl
12PE



Almond *
12AL



Pitascho
12PI



Eucalytus *
12Eu



Celery *
12CE



Peacock
12PEA



Kale
12KA



Oregano
12OR



Thistle
12TH



Sencha *
12SC



Wasabi
12WA



Denim
12DE



Azure
12AZ



Sea Salt *
12SE



Periwinkle
12PER



Marine
12MA



Iris
12IR




Amethyst *
12AM



Lilac
12LI



Berry
12BE




Shiraz *
12SH




Midnight Blue
12MI



Granite *
12GRA




Valentine *
12VA




Flamingo*
12FL




Peach
12PH



Quartz *
12QU




Umber *
12UM




Walnut *
12WN


acoupanel[®]
acoustic wall & ceiling



Scan for download




Peppercorn
12PE



Currant *
12CU



Lipstick
12LS



Carrot
12CA